

Led	Sortskode	Sort	Antal fs.	Udbytte i Hkg/ha										Dyrkningsegenskaber										Kvalitetsegenskaber				
				Korrigeret til 85 %			Pct. (%)			Karakter: 1-9				Kernekvalitet			Faldtal, sek.		Foderkvalitet									
				Koldkærgård	Gns	FHT	Skoldplet	Meldug	Strålhængde, cm	Mødning, dato	Lejesæd, Skala: 0-10	Skoldplet	Meldug	Lejesæd	Rumvægt, g pr. liter	Protein, pct.	Kornvægt, mg pr. korn	Koldkærgård	GNS	FEsvy pr. hkg	FEse pr. hkg	EFOSsvin	EFOSi					
				1	1	1	11	3	10	4	9	10	11	3	10	1	1	1										
1	9062	Blanding		102.6	102.6	100	9	0.03	138	6/8	2.9	5	1	5	768	9.0	31.8											
2	28594	KWS Livado AA		96.9	96.9	94	10	0.3	144	6/8	2.7	6	2	5	759	9.5												
3	30082	KWS Serafino AV		95.5	95.5	93	9	0.01	141	5/8	2.6	5	1	5	760	8.5												
4	31566	KWS Tayo		110.4	110.4	108	10	0	143	4/8	1.8	6	1	4	762	9.2	32.7											
5	31568	KWS Jethro AA		107.3	107.3	105	16	0	144	5/8	1.9	7	1	4	761	9.0												
6	31571	KWS Berado		106.9	106.9	104	11	0	132	6/8	1.4	6	1	4	775	8.9												
7	32469	SU Arvid 90+10% population		93.3	93.3	91	10	2.8	136	7/8	4.7	6	5	7	756	9.1												
8	32491	KWS Receptor		103.1	103.1	100	9	0.03	142	5/8	4.6	5	1	7	769	8.5												
9	32520	Astranos		101.5	101.5	99	11	0	148	5/8	2.2	6	1	5	767	9.4												
10	33258	KWS Initiator		92.9	92.9	91	10	0	142	6/8	6.0	6	1	9	775	8.4												
11	33259	KWS Rotor		108.5	108.5	106	10	0	137	6/8	2.9	6	1	5	751	8.4												
12	33260	KWS Detektor		104.8	104.8	102	7	0.03	140	6/8	3.0	4	1	6	771	8.4												
13	33262	KWS Igor		110.4	110.4	108	8	0	139	4/8	4.3	5	1	7	756	9.0												
14	33265	KWS Teodor		97.1	97.1	95	4.2	1.7	146	7/8	3.4	3	5	6	757	8.5												
15	34075	KWS-H205		105.9	105.9	103	11	0.3	136	5/8	2.0	6	2	5	754	8.3	30.1											
16	34076	KWS-H206		92.4	92.4	90	13	0.03	138	6/8	4.4	7	1	7	767	8.4	34.0											
17	34077	KWS-H207		105.2	105.2	103	14	0	138	7/8	3.2	7	1	6	767	8.4	29.4											
18	34078	KWS-H208		107.3	107.3	105	12	0	145	6/8	3.4	6	1	6	774	8.8	29.2											
19	34079	KWS-H209		108.5	108.5	106	8	0	141	6/8	1.3	5	1	4	759	8.9	29.8											
20	34080	KWS-H210		93.1	93.1	91	8	0	141	6/8	3.9	5	1	6	767	8.5	30.0											
21	34081	KWS-H211		104.9	104.9	102	13	0	131	7/8	4.3	7	1	7	772	9.0	32.3											
22	34082	KWS-H212		107.2	107.2	104	11	0	139	6/8	1.5	6	1	4	749	8.6	31.0											
23	34083	KWS-H213		98.4	98.4	96	14	0	144	6/8	1.8	7	1	4	746	8.5	27.4											
24	34084	KWS-H214		110.5	110.5	108	8	0	136	5/8	3.5	5	1	6	759	8.3	33.5											
25	34101	HYH 331		104.0	104.0	101	12	0	146	5/8	2.4	6	1	5	776	9.0	29.7											
26	34102	HYH 332		101.4	101.4	99	18	0.03	144	6/8	1.5	8	1	4	773	9.4	29.1											
27	34103	HYH 333		95.8	95.8	93	17	3.3	144	5/8	3.2	7	6	6	788	9.3	32.1											
28	34104	HYH 337		95.8	95.8	93	10	2.7	139	6/8	4.0	6	5	7	768	8.9	29.7											
29	34824	HYH 326		98.8	98.8	96	8	1.7	140	6/8	3.5	5	5	6	761	9.1	31.1											
30	34825	HYH 334		102.0	102.0	99	16	3.7	138	7/8	2.4	7	6	5	774	9.2	30.3											
31	34826	HYH 335		99.8	99.8	97	11	0.01	144	6/8	2.8	6	1	5	764	8.9	28.9											
32	34827	HYH 336		98.0	98.0	96	18	0.2	140	7/8	2.8	8	2	5	779	9.6	30.4											
33	34828	HYH 339		99.6	99.6	97	10	6	136	7/8	3.1	6	7	6	764	8.3	28.1											
34	34829	HYH 340		106.6	106.6	104	16	1	140	6/8	3.7	7	4	6	765	8.8	33.2											
35	34830	HYH 341		91.1	91.1	89	8	0.2	152	7/8	3.3	5	2	6	769	8.8	27.5											
36	34831	HYH 342		95.8	95.8	93	22	0.3	143	6/8	3.6	8	2	6	790	9.1	30.0											
37	34832	HYH 343		108.6	108.6	106	7	1	148	5/8	1.7	4	4	4	773	9.1	30.9											
38	34833	HYH 344		90.7	90.7	88	24	2.7	146	6/8	3.5	8	5	6	789	8.6	30.1											
39	34834	HYH 345		97.0	97.0	95	11	12	132	6/8	3.5	6	9	6	765	8.4	26.6											
40	34835	HYH 346		103.1	103.1	100	9	4.7	138	6/8	2.8	5	6	5	762	9.2	32.3											
41	34836	HYH 347		103.5	103.5	101	8	1	137	6/8	1.5	5	4	4	749	9.1	32.9											
42	34837	HYH 348		105.9	105.9	103	15	0	138	6/8	2.2	7	1	5	779	9.0	30.6											
43	34841	KWS-H218		106.5	106.5	104	7	0	146	6/8	2.0	4	1	5	767	9.1	31.8											
44	34842	KWS-H219		103.5	103.5	101	8	0	140	5/8	2.1	5	1	5	755	8.8	28.6											
45	34843	KWS-H220		109.6	109.6	107	9	0	138	6/8	3.3	5	1	6	764	8.3	28.6											
46	34844	KWS-H221		105.3	105.3	103	9	0.2	142	6/8	1.8	5	2	4	764	8.9	30.1											
47	34845	KWS-H222		104.6	104.6	102	8	0	134	5/8	3.2	5	1	6	753	8.6	30.3											
48	34846	KWS-H223		108.3	108.3	106	13	0.01	136	7/8	2.6	7	1	5	759	8.6	30.8											
49	34847	KWS-H224		98.6	98.6	96	10	0	138	6/8	2.3	6	1	5	763	9.0	31.2											
50	34848	KWS-H225		103.3	103.3	101	10	0.03	139	6/8	3.6	6	1	6	757	8.5	32.5											
51	34879	SU Elrond+10% population		91.7	91.7	89	10	0	146	5/8	3.4	6	1	6	770	9.1												
52	34880	SU Baresi+10% population		99.2	99.2	97	12	13	141	6/8	2.9	6	9	5	771	8.6												
53	34881	SU Perspectiv+10% population		108.1	108.1	105	10	0.2	164	7/8	1.8	6	2	4	765	9.4												
54	34882	SU Arvalus+10% population		101.6	101.6	99	14	1.7	141	5/8	3.3	7	5	6	772	9.0												
55	34883	HYH314+10% population		92.0	92.0	90	8	1.5	138	6/8	2.9	5	5	5	762	8.6												
56	34884	HYH322+10% population		94.0	94.0	92	8	1.7	137	5/8	6.0	5	5	9	754	8.7												
57	34885	HYH327+10% population		98.1	98.1	96	7	1	141	4/8	1.4	4	4	4	758	9.0												
		LSD 0.05		7.5	7.5	7																						
		GNS UDBYTTTE		101.5																								

Udbytte i Hkg/ha korrigeret til 85 % tørstof

Koldkærgård	Gns.	Rækkefølge
108 KWS-H214	108 KWS-H214	1
108 KWS Tayo	108 KWS Tayo	2
108 KWS Igor	108 KWS Igor	3
107 KWS-H220	107 KWS-H220	4
106 HYH 343	106 HYH 343	5
106 KWS Rotor	106 KWS Rotor	6
106 KWS-H209	106 KWS-H209	7
106 KWS-H223	106 KWS-H223	8
105 SU Perspectiv+	105 SU Perspectiv+	9
105 KWS Jethro AA	105 KWS Jethro AA	10
105 KWS-H208	105 KWS-H208	11
104 KWS-H212	104 KWS-H212	12
104 KWS Berado	104 KWS Berado	13
104 HYH 340	104 HYH 340	14
104 KWS-H218	104 KWS-H218	15
103 KWS-H205	103 KWS-H205	16
103 HYH 348	103 HYH 348	17
103 KWS-H221	103 KWS-H221	18
103 KWS-H207	103 KWS-H207	19
102 KWS-H211	102 KWS-H211	20
102 KWS Detektor	102 KWS Detektor	21
102 KWS-H222	102 KWS-H222	22
101 HYH 331	101 HYH 331	23
101 HYH 347	101 HYH 347	24
101 KWS-H219	101 KWS-H219	25
101 KWS-H225	101 KWS-H225	26
100 KWS Receptor	100 KWS Receptor	27
100 HYH 346	100 HYH 346	28
102.6 Blanding	102.6 Blanding	29
99 HYH 334	99 HYH 334	30
99 SU Arvalus+10%	99 SU Arvalus+10%	31
99 Astranos	99 Astranos	32
99 HYH 332	99 HYH 332	33
97 HYH 335	97 HYH 335	34
97 HYH 339	97 HYH 339	35
97 SU Baresi+10%	97 SU Baresi+10%	36
96 HYH 326	96 HYH 326	37
96 KWS-H224	96 KWS-H224	38
96 KWS-H213	96 KWS-H213	39
96 HYH327+10% pr	96 HYH327+10% pop	40
96 HYH 336	96 HYH 336	41
95 KWS Teodor	95 KWS Teodor	42
95 HYH 345	95 HYH 345	43
94 KWS Livado AA	94 KWS Livado AA	44
93 HYH 333	93 HYH 333	45
93 HYH 337	93 HYH 337	46
93 HYH 342	93 HYH 342	47
93 KWS Serafino A	93 KWS Serafino A	48
92 HYH322+10% pr	92 HYH322+10% pop	49
91 SU Arvid 90+10	91 SU Arvid 90+10	50
91 KWS-H210	91 KWS-H210	51
91 KWS Initiator	91 KWS Initiator	52
90 KWS-H206	90 KWS-H206	53
90 HYH314+10% pr	90 HYH314+10% pop	54
89 SU Elrond+10%	89 SU Elrond+10%	55
89 HYH 341	89 HYH 341	56
88 HYH 344	88 HYH 344	57
7 LSD 0.05	7 LSD 0.05	

Translations

Afgrødehøjde	<i>Crop height</i>	Stivelsesindhold	<i>Starch content</i>
Blomstring	<i>Flowering</i>	Strålængde, cm	<i>Straw length</i>
Blødgøring	<i>Softening</i>	Udbytte	<i>Yield</i>
Brunrust	<i>Brown rust (Puccinia recondita)</i>	Vandoptagelse	<i>Water absorption</i>
Brødhøjde	<i>Bread height</i>		
Brødvolumen	<i>Bread volume</i>		
Bygrust	<i>Barley Rust (Puccinia hordei)</i>		
Dyrkningsegenskaber	<i>Agronomic traits</i>		
EFOSi	<i>Enzyme digestible organic matter at ileum</i>		
EFOSsvin	<i>Enzyme digestible organic matter in pigs</i>		
Erucasyre	<i>Erucic acid</i>		
FEso pr. hkg	<i>Feed units, adult pigs</i>		
FEsv pr. hkg	<i>Feed units, growing pigs</i>		
fht	<i>Index</i>		
Faldtal	<i>Falling number</i>		
Foderkvalitet	<i>Feed quality</i>		
Frøkvalitet	<i>Seed quality</i>		
Frøvægt	<i>Seed weight</i>		
Glucosinolatindhold	<i>Glucosinolate content</i>		
Gluten i kerner (14% vand)	<i>Gluten content in grains at 14 % water</i>		
Gns.	<i>Average</i>		
Gråplet/brunplet	<i>Septoria tritici/Stagonospora nodorum</i>		
Gulrust	<i>Yellow rust (Puccinia striiformis)</i>		
hkg/ha korrigeret til 85 % tørstof	<i>hkg/ha adjusted to 85% dry matter</i>		
Hvedebladplet	<i>Tan spot, DTR (Pyrenophora tritici-repentis)</i>		
Karakter	<i>Score</i>		
Kerne­kvalitet	<i>Grain quality</i>		
Klæbrighed	<i>Stickyness</i>		
Kornvægt, mg pr. korn	<i>Thousand kernel weight (mg/kg)</i>		
Kvalitetsegenskaber	<i>Quality traits</i>		
Led	<i>Entry</i>		
Lejesæd	<i>Lodging</i>		
Linolénsyre	<i>Linolenic acid</i>		
Linolsyre	<i>Linoleic acid</i>		
Meldug	<i>Mildew (Erysiphe graminis)</i>		
Meludbytte	<i>Flour yield</i>		
Modning, dato	<i>Ripeningdate</i>		
Nedknækning, aks	<i>Necking</i>		
Nedknækning, strå	<i>Brackling</i>		
Olieindhold	<i>Oil content</i>		
Oliesyre	<i>Oleic acid</i>		
Plantehøjde	<i>Plant height</i>		
Proteinindhold, pct.	<i>Protein content</i>		
Ramularia	<i>Ramularia (Ramularia collo-cygni)</i>		
Rumvægt, g pr. liter	<i>Specific weight</i>		
Sedimentation	<i>Zeleny sedimentation value</i>		
Skala	<i>Scale</i>		
Skoldplet	<i>Leaf Blotch (Rhynchosporium secalis)</i>		
Sort	<i>Variety</i>		
Sort., pct. kerner>2,5 mm	<i>Grading, pct. kernels > 2.5 mm</i>		
Sort., pct. kerner>2,8 mm	<i>Grading, pct. kernels > 2.8 mm</i>		
Sortskode	<i>Variety code</i>		
Stabilitet	<i>Stability</i>		
Standardkvalitet	<i>Standard quality</i>		