

| Udbytte                          |           |                | Dyrkningssegenskaber (observations-parceller) |       |          |      |     |               |         |          |          |                 | Kvalitetsegenskaber |        |         |          | Bagegenskaber (Sejet og Tystofte) |                       |                      |                      |                   |           |       |          |                                   |           |       |          |      |                  |                     |                  |                       |                           |                          |  |               |   |   |
|----------------------------------|-----------|----------------|---|-------|----------|------|-----|---------------|---------|----------|----------|-----------------|---------------------|--------|---------|----------|-----------------------------------|-----------------------|----------------------|----------------------|-------------------|-----------|-------|----------|-----------------------------------|-----------|-------|----------|------|------------------|---------------------|------------------|-----------------------|---------------------------|--------------------------|--|---------------|---|---|
| kg/ha korrigeret til 85% tørstof |           |                | Pct. dækning                                  |       |          |      |     | Karakter: 1-9 |         |          |          |                 | Kernekvallitet      |        |         |          | Faldtal, sek.                     |                       |                      |                      | Sedimentation, ml |           |       |          | Bagegenskaber (Sejet og Tystofte) |           |       |          |      |                  |                     |                  |                       |                           |                          |  |               |   |   |
| Led                              | Sortskode | Sort           | Abildgård                                     | Sejet | Tystofte | Gns. | FHT | Meldug        | Gulrust | Brunrust | Septoria | Stråtlængde, cm | Modning, dato       | Meldug | Gulrust | Brunrust | Septoria                          | Kornvægt, mg pr. korn | Rumvægt, g pr. liter | Proteinindhold, pct. | Gluten, pct.      | Abildgård | Sejet | Tystofte | Gns.                              | Abildgård | Sejet | Tystofte | Gns. | Meludbytte, pct. | Vandoptagelse, pct. | Stabilitet, min. | Blødgøring, F-enheder | Klæbrighed, karakter: 1-9 | Porositet, karakter: 1-9 | Brødvolum, cm <sup>3</sup> /1000 g mel | Brødhøjde, mm |   |   |
|                                  |           |                | Antal fs.                                     |       |          |      |     |               |         |          |          |                 |                     |        |         |          |                                   |                       |                      |                      |                   |           |       |          |                                   |           |       |          |      |                  |                     |                  |                       |                           |                          |  |               |   |   |
| 1                                | 30296     | Thorus         | 77.2  | 98.0  | 68.6     | 81.3 | 100 | 0             | 0       | 0.1      | 3.3      | 78              | 10/8                | 1      | 1       | 2        | 4                                 | 50.4                  | 825                  | 11.6                 | 23.1              | 272       | 281   | 269      | 274                               | 54        | 66    | 51       | 57   | 65               | 66                  | 4.5              | 65                    | 1.0                       | 8.0                      | 4033                                   | 79            |   |   |
| 2                                | 32027     | Kapitol        | 79.0  | 95.0  | 65.7     | 79.9 | 98  | 4             | 0       | 0.5      | 1        | 79              | 9/8                 | 6      | 1       | 3        | 3                                 | 44.6                  | 820                  | 12.0                 | 25.0              | .         | .     | .        | .                                 | .         | .     | .        | .    | .                | .                   | .                | .                     | .                         | .                        | .                                      | .             | . |   |
| 3                                | 32062     | KWS Talisker   | 82.0  | 104.2 | 68.8     | 85.0 | 105 | 7             | 0       | 8        | 1.7      | 82              | 9/8                 | 7      | 1       | 7        | 3                                 | 49.8                  | 799                  | 11.0                 | 22.0              | .         | .     | .        | .                                 | .         | .     | .        | .    | .                | .                   | .                | .                     | .                         | .                        | .                                      | .             | . |   |
| 4                                | 33622     | Bravens        | 89.0  | 104.7 | 72.7     | 88.8 | 109 | 13            | 15      | 3        | 1        | 81              | 12/8                | 9      | 9       | 6        | 3                                 | 44.2                  | 809                  | 10.6                 | 21.4              | .         | .     | .        | .                                 | .         | .     | .        | .    | .                | .                   | .                | .                     | .                         | .                        | .                                      | .             | . |   |
| 5                                | 34439     | KWS Fixum      | 86.5  | 107.8 | 69.4     | 87.9 | 108 | 4             | 0.3     | 0        | 2.8      | 81              | 11/8                | 6      | 3       | 1        | 3                                 | 52.0                  | 784                  | 11.0                 | 22.4              | .         | .     | .        | .                                 | .         | .     | .        | .    | .                | .                   | .                | .                     | .                         | .                        | .                                      | .             | . | . |
| 6                                | 34517     | Levels         | 77.9  | 97.0  | 70.6     | 81.8 | 101 | 0.05          | 8       | 5        | 3.3      | 80              | 9/8                 | 2      | 8       | 6        | 4                                 | 42.8                  | 807                  | 11.4                 | 22.8              | .         | .     | .        | .                                 | .         | .     | .        | .    | .                | .                   | .                | .                     | .                         | .                        | .                                      | .             | . | . |
| 7                                | 35215     | KWS Barolum    | 82.1  | 100.9 | 75.2     | 86.1 | 106 | 0.3           | 5       | 0        | 6        | 83              | 12/8                | 2      | 8       | 1        | 5                                 | 46.5                  | 828                  | 11.7                 | 24.1              | 383       | 365   | 386      | 378                               | 49        | 64    | 59       | 57   | 69               | 63                  | 10.8             | 50                    | 1.0                       | 6.5                      | 4099                                   | 76            |   |   |
| 8                                | 35976     | NOS 416029.11  | 89.8  | 100.8 | 72.3     | 87.6 | 108 | 4             | 83      | 0        | 0        | 73              | 9/8                 | 6      | 9       | 1        | 1                                 | 52.0                  | 798                  | 11.0                 | 22.5              | 319       | 311   | 315      | 315                               | 46        | 45    | 45       | 45   | 66               | 60                  | 6.3              | 75                    | 1.0                       | 6.5                      | 4049                                   | 93            |   |   |
| 9                                | 36056     | SJ 19SW032     | 86.2  | 104.5 | 73.7     | 88.1 | 108 | 0.3           | 0       | 0        | 5        | 83              | 10/8                | 2      | 1       | 1        | 5                                 | 49.6                  | 802                  | 10.9                 | 20.9              | 337       | 409   | 400      | 382                               | 41        | 48    | 39       | 43   | 62               | 60                  | 3.3              | 90                    | 1.0                       | 5.5                      | 4066                                   | 90            |   |   |
| 10                               | 36057     | SJ 19SW053     | 84.5  | 109.3 | 76.5     | 90.1 | 111 | 6             | 0       | 0.1      | 6        | 83              | 11/8                | 7      | 1       | 2        | 5                                 | 51.0                  | 795                  | 10.5                 | 20.8              | 256       | 284   | 174      | 238                               | 31        | 41    | 40       | 37   | 66               | 60                  | 4.5              | 75                    | 1.0                       | 5.5                      | 3849                                   | 86            |   |   |
| 11                               | 36061     | SEW 19-3003 SW | 79.1  | 95.7  | 71.6     | 82.1 | 101 | 2             | 0       | 0        | 6        | 78              | 10/8                | 5      | 1       | 1        | 5                                 | 50.8                  | 814                  | 11.9                 | 25.0              | 429       | 429   | 378      | 412                               | 43        | 57    | 44       | 48   | 62               | 63                  | 7.5              | 45                    | 1.0                       | 6.0                      | 3916                                   | 90            |   |   |
| 12                               | 36118     | KWS Jordum     | 79.2  | 95.6  | 71.6     | 82.1 | 101 | 1.5           | 4       | 0        | 0.3      | 84              | 8/8                 | 4      | 7       | 1        | 1                                 | 51.5                  | 816                  | 12.3                 | 25.3              | .         | .     | .        | .                                 | .         | .     | .        | .    | .                | .                   | .                | .                     | .                         | .                        | .                                      | .             | . |   |
| 13                               | 36119     | Scenic         | 82.1  | 91.1  | 70.3     | 81.2 | 100 | 0.5           | 10      | 25       | 3.3      | 78              | 10/8                | 3      | 9       | 9        | 4                                 | 48.6                  | 801                  | 12.1                 | 24.6              | .         | .     | .        | .                                 | .         | .     | .        | .    | .                | .                   | .                | .                     | .                         | .                        | .                                      | .             | . |   |
|                                  |           | LSD 0.05       | 3.6   | 5.1   | 3.4      | 2.3  | 3   |               |         |          |          |                 |                     |        |         |          |                                   |                       |                      |                      |                   |           |       |          |                                   |           |       |          |      |                  |                     |                  |                       |                           |                          |  |               |   |   |
|                                  |           | GNS UDBYTT     | 82.7  | 100.4 | 71.3     |      |     |               |         |          |          |                 |                     |        |         |          |                                   |                       |                      |                      |                   |           |       |          |                                   |           |       |          |      |                  |                     |                  |                       |                           |                          |  |               |   |   |

## Udbytte i hkg/ha korrigeret til 85 % tørstof

| Abildgård          | Sejet             | Tystofte           | Gns.               | Rækkefølge |
|--------------------|-------------------|--------------------|--------------------|------------|
| 116 NOS 416029.11  | 112 SJ 19SW053    | 112 SJ 19SW053     | 111 SJ 19SW053     | 1          |
| 115 Bravens        | 110 KWS Fixum     | 110 KWS Barolum    | 109 Bravens        | 2          |
| 112 KWS Fixum      | 107 Bravens       | 107 SJ 19SW032     | 108 SJ 19SW032     | 3          |
| 112 SJ 19SW032     | 107 SJ 19SW032    | 106 Bravens        | 108 KWS Fixum      | 4          |
| 109 SJ 19SW053     | 106 KWS Talisker  | 105 NOS 416029.11  | 108 NOS 416029.11  | 5          |
| 106 KWS Barolum    | 103 KWS Barolum   | 104 SEW 19-3003 SW | 106 KWS Barolum    | 6          |
| 106 Scenic         | 103 NOS 416029.11 | 104 KWS Jordum     | 105 KWS Talisker   | 7          |
| 106 KWS Talisker   | 98.0 Thorus       | 103 Levels         | 101 SEW 19-3003 SW | 8          |
| 103 KWS Jordum     | 99 Levels         | 102 Scenic         | 101 KWS Jordum     | 9          |
| 102 SEW 19-3003 SW | 98 SEW 19-3003 SW | 101 KWS Fixum      | 101 Levels         | 10         |
| 102 Kapitol        | 98 KWS Jordum     | 100 KWS Talisker   | 81.3 Thorus        | 11         |
| 101 Levels         | 97 Kapitol        | 68.6 Thorus        | 100 Scenic         | 12         |
| 77.2 Thorus        | 93 Scenic         | 96 Kapitol         | 98 Kapitol         | 13         |
| 5 LSD 0.05         | 7 LSD 0.05        | 5 LSD 0.05         | 3 LSD 0.05         |            |

## Translations

|                                    |   |                  |                         |
|------------------------------------|---|------------------|-------------------------|
| Afgrødehøjde                       | <i>Crop height</i>                                  | Standardkvalitet | <i>Standard quality</i> |
| Blomstring                         | <i>Flowering</i>                                    | Stivelsesindhold | <i>Starch content</i>   |
| Blødgøring                         | <i>Softening</i>                                    | Strå længde, cm  | <i>Straw length</i>     |
| Brunrust                           | <i>Brown rust (Puccinia recondita)</i>              | Udbytte          | <i>Yield</i>            |
| Brødhøjde                          | <i>Bread height</i>                                 | Vandoptagelse    | <i>Water absorption</i> |
| Brødvolumen                        | <i>Bread volume</i>                                 |                  |                         |
| Bygrust                            | <i>Barley Rust (Puccinia hordei)</i>                |                  |                         |
| Dyrkningsegenskaber                | <i>Agronomic traits</i>                             |                  |                         |
| EFOSi                              | <i>Enzyme digestible organic matter at ileum</i>    |                  |                         |
| EFOSsvin                           | <i>Enzyme digestible organic matter in pigs</i>     |                  |                         |
| Erucasyre                          | <i>Erucic acid</i>                                  |                  |                         |
| FEso pr. hkg                       | <i>Feed units, adult pigs</i>                       |                  |                         |
| FEsv pr. hkg                       | <i>Feed units, growing pigs</i>                     |                  |                         |
| fht                                | <i>Index</i>  |                  |                         |
| Faldtal                            | <i>Falling number</i>                               |                  |                         |
| Foderkvalitet                      | <i>Feed quality</i>                                 |                  |                         |
| Frøkvalitet                        | <i>Seed quality</i>                                 |                  |                         |
| Frøvægt                            | <i>Seed weight</i>                                  |                  |                         |
| Glucosinolatindhold                | <i>Glucosinolate content</i>                        |                  |                         |
| Gluten i kerner (14% vand)         | <i>Gluten content in grains at 14 % water</i>       |                  |                         |
| Gns.                               | <i>Average</i>                                      |                  |                         |
| Gråplet/brunplet                   | <i>Septoria tritici/Stagonospora nodorum</i>        |                  |                         |
| Gulrust                            | <i>Yellow rust (Puccinia striiformis)</i>           |                  |                         |
| hkg/ha korrigeret til 85 % tørstof | <i>hkg/ha adjusted to 85% dry matter</i>            |                  |                         |
| Hvedebladplet                      | <i>Tan spot, DTR (Pyrenophora tritici-repentis)</i> |                  |                         |
| Karakter                           | <i>Score</i>  |                  |                         |
| Kerne kvalitet                     | <i>Grain quality</i>                                |                  |                         |
| Klæbrighed                         | <i>Stickyness</i>                                   |                  |                         |
| Kornvægt, mg pr. korn              | <i>Thousand kernel weight (mg/kg)</i>               |                  |                         |
| Kvalitetsegenskaber                | <i>Quality traits</i>                               |                  |                         |
| Led                                | <i>Entry</i>  |                  |                         |
| Lejesæd                            | <i>Lodging</i>                                      |                  |                         |
| Linolénsyre                        | <i>Linolenic acid</i>                               |                  |                         |
| Linolsyre                          | <i>Linoleic acid</i>                                |                  |                         |
| Meldug                             | <i>Mildew (Erysiphe graminis)</i>                   |                  |                         |
| Meludbytte                         | <i>Flour yield</i>                                  |                  |                         |
| Modning, dato                      | <i>Ripening date</i>                                |                  |                         |
| Nedknækning, aks                   | <i>Necking</i>                                      |                  |                         |
| Nedknækning, strå                  | <i>Brackling</i>                                    |                  |                         |
| Observations-parceller             | <i>Observation-plots</i>                            |                  |                         |
| Olieindhold                        | <i>Oil content</i>                                  |                  |                         |
| Oliesyre                           | <i>Oleic acid</i>                                   |                  |                         |
| Plantehøjde                        | <i>Plant height</i>                                 |                  |                         |
| Proteinindhold, pct.               | <i>Protein content</i>                              |                  |                         |
| Ramularia                          | <i>Ramularia (Ramularia collo-cygni)</i>            |                  |                         |
| Rumvægt, g pr. liter               | <i>Specific weight</i>                              |                  |                         |
| Sedimentation                      | <i>Zeleny sedimentation value</i>                   |                  |                         |
| Skala                              | <i>Scale</i>  |                  |                         |
| Skoldplet                          | <i>Leaf Blotch (Rhynchosporium secalis)</i>         |                  |                         |
| Sort                               | <i>Variety</i>                                      |                  |                         |
| Sort., pct. kerner > 2,5 mm        | <i>Grading, pct. kernels &gt; 2.5 mm</i>            |                  |                         |
| Sort., pct. kerner > 2,8 mm        | <i>Grading, pct. kernels &gt; 2.8 mm</i>            |                  |                         |
| Sortskode                          | <i>Variety code</i>                                 |                  |                         |
| Stabilitet                         | <i>Stability</i>                                    |                  |                         |