

| Udbytte | | | Dyrkningsegenskaber (observations-parceller) | | | | | | | | | Kvalitetsegenskaber | | | | |
|------------------------------------|-----------|----------------|--|------|-----|---------------|----------|-----------------|-----------------|--------------------------------|--------|---------------------|-------------------|-----------------------|----------------------|----------------------|
| hkg/ha korrigeret til 85 % tørstof | | | Pct. dækning | | | Karakter: 1-9 | | | Kerne kvalitet | | | | | | | |
| Led | Sortskode | Sort | Abildgård | Gns. | FHT | Meldug | Bladplet | Strå længde, cm | Skridning, dato | Nedknækning, strå, skala: 0-10 | Meldug | Bladplet | Nedknækning, strå | Kornvægt, mg pr. korn | Rumvægt, g pr. liter | Proteinindhold, pct. |
| Antal fs. | | | 1 | 1 | 7 | 5 | 7 | 4 | 3 | 7 | 5 | 3 | 1 | 1 | 1 | |
| 1 | 9040 | Blanding | 75.1 | 75.1 | 100 | 9 | 2.8 | 75 | 12/6 | 2.0 | 6 | 3 | 2 | 44.4 | 479 | 13.4 |
| 2 | 21228 | Dominik | 72.2 | 72.2 | 96 | 19 | 1.6 | 68 | 13/6 | 3.3 | 7 | 3 | 4 | 44.2 | 475 | 13.1 |
| 3 | 26720 | Symphony | 73.7 | 73.7 | 98 | 15 | 4.5 | 76 | 12/6 | 2.7 | 7 | 4 | 3 | 39.6 | 469 | 13.4 |
| 4 | 30398 | Delfin | 76.5 | 76.5 | 102 | 0 | 1.6 | 75 | 12/6 | 2.3 | 1 | 3 | 3 | 42.1 | 472 | 13.8 |
| 5 | 31038 | Nemesis | 74.9 | 74.9 | 100 | 24 | 4.1 | 68 | 13/6 | 2.0 | 8 | 3 | 2 | 40.7 | 477 | 13.3 |
| 6 | 32025 | Lion AV | 71.7 | 71.7 | 95 | 15 | 3.9 | 71 | 12/6 | 1.7 | 7 | 3 | 2 | 42.9 | 478 | 12.1 |
| 7 | 32043 | Caddy | 73.3 | 73.3 | 98 | 23 | 3.9 | 74 | 13/6 | 3.0 | 8 | 3 | 3 | 40.9 | 464 | 13.0 |
| 8 | 32918 | Elison | 71.5 | 71.5 | 95 | 0 | 3.7 | 78 | 10/6 | 2.7 | 1 | 3 | 3 | 42.0 | 469 | 12.5 |
| 9 | 33560 | WPB Oskar | 71.8 | 71.8 | 96 | 3.6 | 5 | 72 | 12/6 | 1.3 | 4 | 4 | 2 | 40.8 | 458 | 13.3 |
| 10 | 33605 | NORD 17/115 AA | 74.9 | 74.9 | 100 | 11 | 2.9 | 75 | 13/6 | 2.0 | 6 | 3 | 2 | 43.0 | 461 | 13.2 |
| 11 | 34442 | Scotty | 74.5 | 74.5 | 99 | 0 | 2.6 | 78 | 13/6 | 2.7 | 1 | 3 | 3 | 43.2 | 478 | 13.6 |
| 12 | 35413 | Fritz | 75.1 | 75.1 | 100 | 21 | 3 | 63 | 9/6 | 4.0 | 8 | 3 | 4 | 47.1 | 466 | 13.1 |
| 13 | 35455 | Jacky | 73.3 | 73.3 | 98 | 0.1 | 3.2 | 77 | 12/6 | 1.7 | 1 | 3 | 2 | 45.7 | 463 | 12.8 |
| 14 | 35968 | RV20003 | 76.2 | 76.2 | 101 | 34 | 1.8 | 69 | 14/6 | 1.0 | 8 | 3 | 2 | 37.0 | 478 | 12.4 |
| 15 | 36028 | NORD 20/127 | 72.9 | 72.9 | 97 | 0 | 2.8 | 77 | 13/6 | 1.3 | 1 | 3 | 2 | 39.4 | 467 | 13.4 |
| 16 | 36049 | NOS 81920-15 | 77.1 | 77.1 | 103 | 13 | 3 | 76 | 13/6 | 2.0 | 7 | 3 | 2 | 38.9 | 469 | 13.0 |
| 17 | 36786 | NORD 21/230 | 69.6 | 69.6 | 93 | 0 | 1.6 | 78 | 12/6 | 2.3 | 1 | 3 | 3 | 41.4 | 487 | 13.6 |
| 18 | 36787 | WPB 16W107-01 | 74.0 | 74.0 | 99 | 24 | 2.9 | 76 | 11/6 | 2.0 | 8 | 3 | 2 | 43.5 | 475 | 12.7 |
| 19 | 36833 | NOS 81919-10 | 72.2 | 72.2 | 96 | 4.3 | 4.2 | 75 | 12/6 | 2.3 | 4 | 3 | 3 | 45.6 | 452 | 13.4 |
| 20 | 36834 | NOS 81929-04 | 68.5 | 68.5 | 91 | 25 | 1.8 | 74 | 11/6 | 3.7 | 8 | 3 | 4 | 42.2 | 456 | 12.5 |
| LSD 0.05 | | | 6.2 | 6.2 | 8 | | | | | | | | | | | |
| GNS UDBYTTE | | | 73.5 | | | | | | | | | | | | | |

Udbytte i hkg/ha korrigeret til 85 % tørstof

| Abildgård | Gns. | Rækkefølge |
|--------------------|--------------------|------------|
| 103 NOS 81920-15 | 103 NOS 81920-15 | 1 |
| 102 Delfin | 102 Delfin | 2 |
| 101 RV20003 | 101 RV20003 | 3 |
| 75.1 Blanding | 75.1 Blanding | 4 |
| 100 Fritz | 100 Fritz | 5 |
| 100 Nemesis | 100 Nemesis | 6 |
| 100 NORD 17/115 AA | 100 NORD 17/115 AA | 7 |
| 99 Scotty | 99 Scotty | 8 |
| 99 WPB 16W107-01 | 99 WPB 16W107-01 | 9 |
| 98 Symphony | 98 Symphony | 10 |
| 98 Caddy | 98 Caddy | 11 |
| 98 Jacky | 98 Jacky | 12 |
| 97 NORD 20/127 | 97 NORD 20/127 | 13 |
| 96 Dominik | 96 Dominik | 14 |
| 96 NOS 81919-10 | 96 NOS 81919-10 | 15 |
| 96 WPB Oskar | 96 WPB Oskar | 16 |
| 95 Lion AV | 95 Lion AV | 17 |
| 95 Elison | 95 Elison | 18 |
| 93 NORD 21/230 | 93 NORD 21/230 | 19 |
| 91 NOS 81929-04 | 91 NOS 81929-04 | 20 |
| 8 LSD 0.05 | 8 LSD 0.05 | |

Translations

| | | | |
|------------------------------------|---|------------------|-------------------------|
| Afgrødehøjde | <i>Crop height</i> | Standardkvalitet | <i>Standard quality</i> |
| Blomstring | <i>Flowering</i> | Stivelsesindhold | <i>Starch content</i> |
| Blødgøring | <i>Softening</i> | Strå længde, cm | <i>Straw length</i> |
| Brunrust | <i>Brown rust (Puccinia recondita)</i> | Udbytte | <i>Yield</i> |
| Brødhøjde | <i>Bread height</i> | Vandoptagelse | <i>Water absorption</i> |
| Brødvolumen | <i>Bread volume</i> | | |
| Bygrust | <i>Barley Rust (Puccinia hordei)</i> | | |
| Dyrkningsegenskaber | <i>Agronomic traits</i> | | |
| EFOSi | <i>Enzyme digestible organic matter at ileum</i> | | |
| EFOSsvin | <i>Enzyme digestible organic matter in pigs</i> | | |
| Erucasyre | <i>Erucic acid</i> | | |
| FEso pr. hkg | <i>Feed units, adult pigs</i> | | |
| FEsv pr. hkg | <i>Feed units, growing pigs</i> | | |
| fht | <i>Index</i> | | |
| Faldtal | <i>Falling number</i> | | |
| Foderkvalitet | <i>Feed quality</i> | | |
| Frøkvalitet | <i>Seed quality</i> | | |
| Frøvægt | <i>Seed weight</i> | | |
| Glucosinolatindhold | <i>Glucosinolate content</i> | | |
| Gluten i kerner (14% vand) | <i>Gluten content in grains at 14 % water</i> | | |
| Gns. | <i>Average</i> | | |
| Gråplet/brunplet | <i>Septoria tritici/Stagonospora nodorum</i> | | |
| Gulrust | <i>Yellow rust (Puccinia striiformis)</i> | | |
| hkg/ha korrigeret til 85 % tørstof | <i>hkg/ha adjusted to 85% dry matter</i> | | |
| Hvedebladplet | <i>Tan spot, DTR (Pyrenophora tritici-repentis)</i> | | |
| Karakter | <i>Score</i> | | |
| Kernekvalitet | <i>Grain quality</i> | | |
| Klæbrighed | <i>Stickyness</i> | | |
| Kornvægt, mg pr. korn | <i>Thousand kernel weight (mg/kg)</i> | | |
| Kvalitetsegenskaber | <i>Quality traits</i> | | |
| Led | <i>Entry</i> | | |
| Lejesæd | <i>Lodging</i> | | |
| Linolénsyre | <i>Linolenic acid</i> | | |
| Linolsyre | <i>Linoleic acid</i> | | |
| Meldug | <i>Mildew (Erysiphe graminis)</i> | | |
| Meludbytte | <i>Flour yield</i> | | |
| Modning, dato | <i>Ripeningdate</i> | | |
| Nedknækning, aks | <i>Necking</i> | | |
| Nedknækning, strå | <i>Brackling</i> | | |
| Observations-parceller | <i>Observation-plots</i> | | |
| Olieindhold | <i>Oil content</i> | | |
| Oliesyre | <i>Oleic acid</i> | | |
| Plantehøjde | <i>Plant height</i> | | |
| Proteinindhold, pct. | <i>Protein content</i> | | |
| Ramularia | <i>Ramularia (Ramularia collo-cygni)</i> | | |
| Rumvægt, g pr. liter | <i>Specific weight</i> | | |
| Sedimentation | <i>Zeleny sedimentation value</i> | | |
| Skala | <i>Scale</i> | | |
| Skoldplet | <i>Leaf Blotch (Rhynchosporium secalis)</i> | | |
| Sort | <i>Variety</i> | | |
| Sort., pct. kerner > 2,5 mm | <i>Grading, pct. kernels > 2.5 mm</i> | | |
| Sort., pct. kerner > 2,8 mm | <i>Grading, pct. kernels > 2.8 mm</i> | | |
| Sortskode | <i>Variety code</i> | | |
| Stabilitet | <i>Stability</i> | | |